

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------------------------------|------------------|---------|------------------|
| L11 | 3414 | file adj3 configurat\$5 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:19 |
| L12 | 658 | (telecommunicat\$4 or hub) same (central near5 office)and hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:19 |
| L13 | 27 | L12 and L11 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:19 |
| L14 | 2 | L12 and L11 and reboot\$3 | USPAT; " EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:19 |
| L15 | 2 | L12 and L11 and reboot\$3 and hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:20 |
| L16 | 27 | L12 and L11 and hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:20 |
| L17 | 1 | L16 and (tftp near5 (file adj2 server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:23 |
| L18 | 1 | L16 and (tftp near5 (server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:21 |
| L19 | 1 | L16 and (tftp with server) | USPAT; . EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:21 |
| L20 | 1 | L16 and (tftp) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:21 |
| L21 | 4 | L16 and (dhcp) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:21 |
| L22 | 27 | (tftp near5 (file adj2 server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:24 |
| L23 | 9 | (tftp near5 (file adj2 server))same dhcp | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:53 |
| L24 | 4 | (tftp near5 (file adj2 server))same (dhcp near5 server) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:24 |
| L25 | 4 | (tftp near5 (file adj2 server))same (dhcp near5 server) and configur\$5 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:52 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------------------|----|-----|------------------|
| L26 | 3 | (tftp near5 (file adj2 server))same (dhcp near5 server) and (configur\$5 near5 file) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:25 |
| L27 | 3 | (tftp near5 (file adj2 server))same (dhcp near5 server) and (configur\$5 near5 (file adj2 name)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/29 22:25 |
| S1 | 2 | "6049826".pn. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2006/06/28 12:15 |
| S2 | 2 | "6049826".pn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 12:15 |
| S3 | 2 | "6643695".pn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:44 |
| S4 | 75 | telecommunicat\$4 adj3 hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:45 |
| S6 | 293 | (hub) with (central near5 office) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:49 |
| S7 | 493 | (hub) same (central near5 office) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:49 |
| S8 | 539 | configur\$5 near5 (file adj3 nam\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:50 |
| S9 | 762 | configur\$5 near5 ((file or domain) adj3 nam\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:50 |
| S10 | 30 | (configur\$5 near5 ((file or domain) adj3 nam\$3)) same tftp | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:51 |
| S11 | 11 | (configur\$5 near5 ((file or domain) adj3 nam\$3)) same (tftp near5 server) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:01 |
| S12 | 5599 | (creat\$3 or mak\$3 or build\$3 or obtain\$3) with (file near5 nam\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:53 |
| S13 | 213 | (creat\$3 or mak\$3 or build\$3 or obtain\$3) with (file near5 nam\$3) and (model near5 ("ID" or identif\$4)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:55 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------|----|----|------------------|
| S14 | 0 | (creat\$3 or mak\$3 or build\$3 or obtain\$3) with (file near5 nam\$3) and (Hub near5 ((model or type) adj3("ID" or identif\$4))) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:55 |
| S15 | 0 | (creat\$3 or mak\$3 or build\$3 or obtain\$3) with (file near5 nam\$3) and (Hub with((model or type) adj3("ID" or identif\$4))) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:55 |
| S16 | 1 | (creat\$3 or mak\$3 or build\$3 or obtain\$3) with (file near5 nam\$3) and (Hub with((model or type) with("ID" or identif\$4))) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:55 |
| S17 | 3 | S11 and S12 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 14:56 |
| S18 | 1 | (configur\$5 near5 ((file or domain) adj3 nam\$3)) same (tftp near5 server) and reboot\$3 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:01 |
| S19 | 0 | (configur\$5 near5 ((file or domain) adj3 nam\$3) same (tftp near5 server))and (reboot\$3 with hub) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:02 |
| S20 | 0 | (configur\$5 near5 ((file or domain) adj3 nam\$3) same (tftp near5 server))and (reboot\$3 same hub) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:02 |
| S21 | 0 | (configur\$5 near5 ((file or domain) adj3 nam\$3) same (tftp near5 server))and (reboot\$3 and hub) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:02 |
| S22 | 1 | (configur\$5 near5 ((file or domain) adj3 nam\$3) same (tftp near5 server))and (reboot\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 15:02 |
| S23 | 293 | (hub) with (central near5 office) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:54 |
| S24 | 403 | ((telecommunicat\$4 or hub) with (central near5 office)) and Hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:57 |
| S25 | 3414 | file adj3 configurat\$5 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:57 |
| S26 | 2 | S23 same S25 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |
| S27 | 2 | S26 and (file adj3 name) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:03 |

EAST Search History

| | | | | | | |
|-----|------|---|----------------------------|----|----|------------------|
| S28 | 1 | S26 and (file adj3 name) same tftp | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:59 |
| S29 | 1 | S26 and (file adj3 name) same (tftp with server) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:59 |
| S30 | 1 | S26 and ((file adj3 name) same (tftp with server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:59 |
| S31 | 1 | S26 and ((file adj3 name) same (tftp with server)same dhcp) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 16:59 |
| S32 | 1 | S26 and ((file adj3 name) same (tftp with server)same (dhcp near5 server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:00 |
| S33 | 0 | S26 and ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and ((creat\$3 or build\$3 or mak\$3 or establish\$3 or obtain\$3) with (file near5 name)) | USPAT; - EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:01 |
| S34 | 1 | S26 and ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and ((creat\$3 or build\$3 or mak\$3 or establish\$3 or obtain\$3) same(file near5 name)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:01 |
| S35 | 0 | S26 and ((file adj3 name) same (tftp with server)same (dhcp near5 server)) same((creat\$3 or build\$3 or mak\$3 or establish\$3 or obtain\$3) same(file near5 name)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |
| S36 | 1999 | (telecommunicat\$4 or hub) with (central near5 office) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:04 |
| S37 | 403 | (telecommunicat\$4 or hub) with (central near5 office)and hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |
| S38 | 658 | (telecommunicat\$4 or hub) same (central near5 office)and hub | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |
| S39 | 27 | S38 and S25 | USPAT; - EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |
| S40 | 1 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) same((creat\$3 or build\$3 or mak\$3 or establish\$3 or obtain\$3) same(file near5 name)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:05 |

EAST Search History

| | | | | | | |
|-----|-------|---|----------------------------------|----|-----|------------------|
| S41 | 10 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:12 |
| S42 | 1 | S39 and S41 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:06 |
| S43 | 0 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and (hub with telecommunic\$5) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:06 |
| S44 | 2 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and (hub) | USPAT; - EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:06 |
| S45 | 0 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and reboot\$3 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:13 |
| S46 | 7 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and boot\$3 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:13 |
| S47 | 0 | ((file adj3 name) same (tftp with server)same (dhcp near5 server)) and (boot\$3 same hub) | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 17:57 |
| S48 | 15776 | ((709/220) or (709/245) or (709/229) or (709/237) or (709/310) or (709/223) or (370/475) or (370/351) or (370/352) or (370/353) or (370/354) or (370/389) or (370/400) or (370/401) or (370/402) or (370/431) or (370/466) or (710/104) or (710/39) or (710/46) or (710/47) or (725/111) or (345/356) or (345/357)).CCLS. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2006/06/28 18:22 |
| S49 | 12 | (BARROW and MATTHEW).inv. | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 18:23 |
| S50 | 1 | S49 and S36 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 18:23 |
| S51 | 1122 | sprint.asn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 18:24 |
| S52 | 5 | S51 and S49 | USPAT; EPO; JPO; DERWENT | OR | ON | 2006/06/28 18:24 |